

## Content price list PEGA K-LINER

- 1 PEGA K-LINER Standard equipment
- 2 PEGA K-LINER Standard prices
- 3 PEGA K-LINER Option list

## Sailboats

Sailboat with lifting keel

Sailboat with fixed keel

Check whether the PEGA K-LINER is suitable for your type of boat!  = Standard fit for your boat

## K-LINER Standard equipment

= Standard equipment and  = Standard equipment 1800 kg trailers and optional for 3500 kg trailers

## Driving dynamics

| Description                            | K750 (575)                          | K1150 - K1800 (575-600-625)         | K1150 - K1800 (650-675)             | K1500 - K1800 (725-775)             | K2000 - K2700 (675)                 | K2000 - K2700 (725-775)             | K3500 (775-850)                     |
|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| AL-KO braked axle                      |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| AL-KO flushing system                  |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| AL-KO shock absorbers                  |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| AL-KO Single axle trailer              | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |                                     |                                     |
| AL-KO double axle trailer (≥ 2,000 kg) |                                     |                                     |                                     |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| AL-KO Tridemaxle trailer (3,500 kg)    |                                     |                                     |                                     |                                     |                                     |                                     | <input type="checkbox"/>            |
| Steel mudguard                         | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Teardrop plate tridem mudguard         |                                     |                                     |                                     |                                     |                                     |                                     | <input type="checkbox"/>            |
| Steel rim 5 holes / 13"                | <input checked="" type="checkbox"/> |                                     |                                     |                                     |                                     |                                     |                                     |
| Steel rim 5 holes / 14"                |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |
| Steel wheel rim 5 holes / 3,500 kg     |                                     |                                     |                                     |                                     |                                     |                                     | <input checked="" type="checkbox"/> |
| PEGA coupling (≤ 750 kg)               | <input checked="" type="checkbox"/> |                                     |                                     |                                     |                                     |                                     |                                     |
| AL-KO overrun brake (≤ 1,600 kg)       |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |                                     |                                     |
| AL-KO overrun brake (≤ 2,700 kg)       |                                     |                                     |                                     |                                     | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |
| AL-KO overrun brake (3,500 kg)         |                                     |                                     |                                     |                                     |                                     |                                     | <input checked="" type="checkbox"/> |
| Nose wheel (≤ 1,500 kg) - ø48 mm       | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |                                     |                                     |
| Nose wheel (≥ 1,800 kg) - ø60 mm       |                                     | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

## Frame specifications

| Description                               | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) |
|---|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|
| Frame width 1,140 mm (total width 180 cm) | ■          |                             |                         |                         |                     |                         |                 |
| Frame width 1,440 mm (total width 210 cm) |            | ■                           | ■                       | ■                       | ■                   | ■                       |                 |
| Frame width 1,600 mm (total width 230 cm) |            |                             |                         |                         |                     |                         | ■               |
| Lowered between beams                     | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Adjustable lowered rear bar               | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Railing (drawbar)                         |            |                             |                         | ■                       |                     | ■                       | ■               |
| Eyelet for lashing straps                 | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| PEGA Side Wing                            |            | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Fully welded frame                        | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |

## Structure

| Description  | K750 (575)  | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) |
|--|-------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|
| Support protection keel  | ■           | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Double carrying cushions for support                           | Quantity: 4 | 4                           | 4                       | 4                       | 4                   | 4                       | 6               |
| Steplessly adjustable side support                             | ■           | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Height-adjustable bow support 75 cm                            | ■           | ■                           | ■                       | ■                       | ■                   | ■                       |                 |
| Bow support 3,500 kg height adjustable with plates and U-piece |             |                             |                         |                         |                     |                         | ■               |
| Double bow support (bow bracket)                               | ■           | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |

## Lightning

| Description                         | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) |
|-------------------------------------|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|
| Side-marker reflectors              | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Side marker lights                  |            | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Wide-angle light and wide-reflector | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Loose 13-pole wiring harness        | ■          |                             |                         |                         |                     |                         |                 |
| Fixed 13-pole wiring harness        |            | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |
| Removable retractable lighting bar  | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               |

## K-LINER Boat trailers

| Single axle |             |                    |            |             |                    |            |                  |         |              |
|-------------|-------------|--------------------|------------|-------------|--------------------|------------|------------------|---------|--------------|
| K750        | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
| K750-575    | 600         | 500                | 180        | 225         | 525                | 750        | 2433,89          | 511,12  | 2945,01      |
| K1150       | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
| K1150-575   | 600         | 500                | 210        | 325         | 825                | 1150       | 3984,38          | 836,72  | 4821,10      |
| K1150-600   | 625         | 525                | 210        | 335         | 815                | 1150       | 4002,69          | 840,56  | 4843,25      |
| K1150-625   | 650         | 550                | 210        | 345         | 805                | 1150       | 4020,99          | 844,41  | 4865,40      |
| K1150-650   | 675         | 575                | 210        | 355         | 795                | 1150       | 4102,40          | 861,50  | 4963,90      |
| K1150-675   | 700         | 600                | 210        | 380         | 770                | 1150       | 4121,28          | 865,47  | 4986,75      |
| K1350       | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
| K1350-575   | 600         | 500                | 210        | 325         | 1025               | 1350       | 3984,38          | 836,72  | 4821,10      |
| K1350-600   | 625         | 525                | 210        | 335         | 1015               | 1350       | 4002,69          | 840,56  | 4843,25      |
| K1350-625   | 650         | 550                | 210        | 345         | 1005               | 1350       | 4020,99          | 844,41  | 4865,40      |
| K1350-650   | 675         | 575                | 210        | 355         | 995                | 1350       | 4102,40          | 861,50  | 4963,90      |
| K1350-675   | 700         | 600                | 210        | 380         | 970                | 1350       | 4121,28          | 865,47  | 4986,75      |
| K1500       | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
| K1500-575   | 600         | 500                | 210        | 325         | 1175               | 1500       | 4221,26          | 886,46  | 5107,72      |
| K1500-600   | 625         | 525                | 210        | 335         | 1165               | 1500       | 4240,73          | 890,55  | 5131,28      |
| K1500-625   | 650         | 550                | 210        | 345         | 1155               | 1500       | 4260,19          | 894,64  | 5154,83      |
| K1500-650   | 675         | 575                | 210        | 355         | 1145               | 1500       | 4339,27          | 911,25  | 5250,52      |
| K1500-675   | 700         | 600                | 210        | 380         | 1120               | 1500       | 4359,32          | 915,46  | 5274,78      |
| K1500-725   | 750         | 650                | 210        | 390         | 1110               | 1500       | 4657,50          | 978,08  | 5635,58      |
| K1500-775   | 800         | 700                | 210        | 420         | 1080               | 1500       | 4679,00          | 982,59  | 5661,59      |
| K1800       | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
| K1800-600   | 625         | 525                | 210        | 355         | 1445               | 1800       | 4575,31          | 960,82  | 5536,13      |
| K1800-625   | 650         | 550                | 210        | 365         | 1435               | 1800       | 4596,51          | 965,27  | 5561,78      |
| K1800-650   | 675         | 575                | 210        | 375         | 1425               | 1800       | 4696,69          | 986,30  | 5682,99      |
| K1800-675   | 700         | 600                | 210        | 400         | 1400               | 1800       | 4718,49          | 990,88  | 5709,37      |
| K1800-725   | 750         | 650                | 210        | 410         | 1390               | 1800       | 4903,36          | 1029,71 | 5933,07      |
| K1800-775   | 800         | 700                | 210        | 430         | 1370               | 1800       | 4925,73          | 1034,40 | 5960,13      |

## Tandem axle

| K2000     | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
|-----------|-------------|--------------------|------------|-------------|--------------------|------------|------------------|---------|--------------|
| K2000-675 | 700         | 600                | 210        | 450         | 1550               | 2000       | 5886,28          | 1236,12 | 7122,40      |
| K2000-725 | 750         | 650                | 210        | 475         | 1525               | 2000       | 6067,11          | 1274,09 | 7341,20      |
| K2000-775 | 800         | 700                | 210        | 510         | 1490               | 2000       | 6095,87          | 1280,13 | 7376,00      |

| K2300     | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
|-----------|-------------|--------------------|------------|-------------|--------------------|------------|------------------|---------|--------------|
| K2300-675 | 700         | 600                | 210        | 450         | 1850               | 2300       | 6009,59          | 1262,01 | 7271,60      |
| K2300-725 | 750         | 650                | 210        | 475         | 1825               | 2300       | 6305,67          | 1324,19 | 7629,86      |
| K2300-775 | 800         | 700                | 210        | 530         | 1770               | 2300       | 6335,60          | 1330,48 | 7666,08      |

| K2700     | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
|-----------|-------------|--------------------|------------|-------------|--------------------|------------|------------------|---------|--------------|
| K2700-675 | 700         | 600                | 210        | 475         | 2225               | 2700       | 6311,98          | 1325,52 | 7637,50      |
| K2700-725 | 750         | 650                | 210        | 530         | 2170               | 2700       | 6561,98          | 1378,02 | 7940,00      |
| K2700-775 | 800         | 700                | 210        | 560         | 2140               | 2700       | 6561,98          | 1378,02 | 7940,00      |

| K3500     | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
|-----------|-------------|--------------------|------------|-------------|--------------------|------------|------------------|---------|--------------|
| K3500-775 | 800         | 700                | 230        | 625         | 2875               | 3500       | 7698,98          | 1616,79 | 9315,77      |

## Tridem axle

| K3500       | Length [cm] | Loading space [cm] | Width [cm] | Weight [kg] | Load capacity [kg] | Total [kg] | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|-------------|--------------------|------------|-------------|--------------------|------------|------------------|---------|--------------|
| K3500-850-T | 875         | 775                | 230        | 795         | 2705               | 3500       | 9439,67          | 1982,33 | 11422,00     |

## Admission and Inspections

|  | Price ex VAT [€] | 21% VAT | Price in VAT |
|--|------------------|---------|--------------|
| RDW registration number EN VAT-0                 | 35,00            | 0,00    | 35,00        |
| Admission Pace 100 km/NL                         | 119,84           | 25,17   | 145,01       |
| COC Document NL ≤ 750 kg of export               | 57,85            | 12,15   | 70,00        |
| Temporary Export license plate valid for 14 days | 35,00            | 0,00    | 35,00        |

Price list effective 10 May 2023. Version number 1. All previous price lists for this model expire with this version. No rights can be derived from the price list.

## K-LINER Option list (additional prices)

The option list offers the additional price of the most common options for your boat trailer. Ask your dealer for other and customised options. Options may affect the load capacity of your trailer and availability of other options.

### Driving dynamics - Option list

| Article no. | Description  | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|--|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|------------------|---------|--------------|
| 820.100     | Braked version 750 kg + PEGA ACS                   | ■          |                             |                         |                         |                     |                         |                 | 856,20           | 179,80  | 1036,00      |
| 820.030     | Aluminium rims 750 (single axle)                   | ■          |                             |                         |                         |                     |                         |                 | 112,40           | 23,60   | 136,00       |
| 820.040     | Aluminium rims 1,150-1,800 (single axle)           |            | ■                           | ■                       | ■                       |                     |                         |                 | 158,68           | 33,32   | 192,00       |
| 820.050     | Aluminium rims 2,000-2,700 (tandem axle)           |            |                             |                         |                         | ■                   | ■                       |                 | 317,36           | 66,65   | 384,01       |
| 820.060     | Aluminium rims 3,500 (tandem axle)                 |            |                             |                         |                         |                     |                         | ■               | 294,20           | 61,78   | 355,98       |
| 820.070     | Aluminium rims 3,500 (tri-axle)                    |            |                             |                         |                         |                     |                         | ■               | 441,30           | 92,67   | 533,97       |
| 821.110     | Spare wheel Aluminium 185-65-R14 + mounting clamp  | ■          |                             |                         |                         |                     |                         |                 | 239,67           | 50,33   | 290,00       |
| 821.130     | Spare wheel Aluminium 185-14-8ply + mounting clamp |            | ■                           | ■                       | ■                       | ■                   | ■                       |                 | 336,36           | 70,64   | 407,00       |
| 821.140     | Spare wheel Aluminium 205-14 + mounting clamp      |            |                             |                         |                         |                     |                         | ■               | 371,07           | 77,92   | 448,99       |
| 821.020     | Spare wheel Steel 185-70-R13 + mounting clamp      | ■          |                             |                         |                         |                     |                         |                 | 183,47           | 38,53   | 222,00       |
| 821.030     | Spare wheel Steel 185-14-8ply + mounting clamp     |            | ■                           | ■                       | ■                       | ■                   | ■                       |                 | 257,02           | 53,97   | 310,99       |
| 821.050     | Spare wheel Steel 205-14-8 + mounting clamp        |            |                             |                         |                         |                     |                         | ■               | 297,52           | 62,48   | 360,00       |
| 820.110     | Treadplate fender tandem axle                      |            |                             |                         |                         | ■                   | ■                       | ■               | 223,14           | 46,86   | 270,00       |

### Frame specifications - Option list

| Article no. | Description                                   | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|---|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|------------------|---------|--------------|
| 821.800     | Frame 1,140mm total width 1,800mm (DISCOUNT)  |            | ■                           | ■                       | ■                       | ■                   | ■                       |                 | 111,57           | 23,43   | 135,00       |
| 821.820     | Frame 1,600mm total width 2,300mm single axle |            | ■                           | ■                       | ■                       |                     |                         |                 | 375,00           | 78,75   | 453,75       |
| 821.830     | Frame 1,600mm total width 2,300mm tandem axle |            |                             |                         |                         | ■                   | ■                       |                 | 415,00           | 87,15   | 502,15       |
| 821.840     | Frame 1,800mm total width 2,500mm single axle |            | ■                           | ■                       | ■                       |                     |                         |                 | 475,00           | 99,75   | 574,75       |
| 821.850     | Frame 1,800mm total width 2,500mm tandem axle |            |                             |                         |                         | ■                   | ■                       | ■               | 515,00           | 108,15  | 623,15       |
| 821.860     | Frame 1,800mm total width 2,500mm triple axle |            |                             |                         |                         |                     |                         | ■               | 555,00           | 116,55  | 671,55       |
| 065.000     | Additional costs for chassis ≥ 850cm          |            |                             |                         |                         |                     |                         | ■               | 509,09           | 106,91  | 616,00       |

### Structure - Option list

| Article no. | Description                             | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|---|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|------------------|---------|--------------|
| 820.130     | Carrying cradles for keelboats          | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 212,41           | 44,61   | 257,02       |
| 822.100     | Sailbox custom size - Price on request  | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 0,00             | 0,00    | 0,00         |
| 821.720     | Aluminium walkway installed length 3.0m | ■          | ■                           | ■                       |                         | ■                   |                         |                 | 287,62           | 60,40   | 348,02       |
| 821.730     | Aluminium walkway installed length 4.0m |            |                             |                         | ■                       |                     | ■                       |                 | 461,18           | 96,85   | 558,03       |
| 821.740     | Aluminium walkway installed length 5.0m |            |                             |                         |                         |                     |                         | ■               | 528,95           | 111,08  | 640,03       |

## Lighting - Option list

| Article no. | Description                          | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|--------------------------------------|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|------------------|---------|--------------|
| 822.600     | Retractable lighting (led) ≤ 750kg   | ■          |                             |                         |                         |                     |                         |                 | 504,96           | 106,04  | 611,00       |
| 822.620     | Retractable lighting (led) ≥ 1,150kg |            | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 482,65           | 101,36  | 584,01       |
| 822.640     | Miniled lighting ≤ 750kg             | ■          |                             |                         |                         |                     |                         |                 | 392,56           | 82,44   | 475,00       |
| 822.660     | Miniled lighting ≥ 1,150kg           |            | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 370,25           | 77,75   | 448,00       |

## Accessories and Security - Option list

| Article no. | Description                                      | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|--|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|------------------|---------|--------------|
| 821.200     | Storage box dimensions 50 x 28 x 25 cm assembled | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 176,03           | 36,97   | 213,00       |
| 821.210     | Storage box dimensions 80 x 38 x 36 cm assembled | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 204,96           | 43,04   | 248,00       |
| 821.220     | Storage box dimensions 60 x 30 x 36 cm assembled | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 181,82           | 38,18   | 220,00       |
| 100.350     | Wheel chock + holder per set                     | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 23,14            | 4,86    | 28,00        |
| 175.300     | Tensioning strap   4000kg   7m                   | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 122,31           | 25,69   | 148,00       |
| 175.350     | Tensioning strap with clamp buckle 200kg   3m    | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 12,40            | 2,60    | 15,00        |
| 230.000     | Overlock unapproved version                      | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 50,41            | 10,59   | 61,00        |
| 230.300     | Allock Transfer Lock S.C.M. approved             | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 200,00           | 42,00   | 242,00       |
| 230.700     | Undermount lock SCM approved ≤ 750 kg            | ■          |                             |                         |                         |                     |                         |                 | 171,08           | 35,93   | 207,01       |
| 230.710     | Undermount lock SCM approved AK 301              |            | ■                           | ■                       | ■                       | ■                   | ■                       |                 | 188,43           | 39,57   | 228,00       |
| 230.720     | Undermount lock SCM approved AK 351              |            |                             |                         |                         |                     |                         | ■               | 188,43           | 39,57   | 228,00       |

## Powder coating - Option list

Standard RAL colours: 1013 - 5011 - 6020 - 9002 - 7016 - 3004 - 6005 - 7032 - 9005 - 7021 - 5010 - 6009 - 9001 - 9010 | Option basic: powder coating of frame, bow support and mudguards

| Article no. | Description                                     | K750 (575) | K1150 - K1800 (575-600-625) | K1150 - K1800 (650-675) | K1500 - K1800 (725-775) | K2000 - K2700 (675) | K2000 - K2700 (725-775) | K3500 (775-850) | Price ex VAT [€] | 21% VAT | Price in VAT |
|-------------|---|------------|-----------------------------|-------------------------|-------------------------|---------------------|-------------------------|-----------------|------------------|---------|--------------|
| 821.300     | Powder coating basic ≤ 750 kg (RAL)             | ■          |                             |                         |                         |                     |                         |                 | 795,00           | 166,95  | 961,95       |
| 821.310     | Powder coating basic 1,150 - 1,800 kg (RAL)     |            | ■                           | ■                       | ■                       |                     |                         |                 | 1095,00          | 229,95  | 1324,95      |
| 821.320     | Powder coating basic 2,000 - 2,700 kg (RAL)     |            |                             |                         |                         | ■                   | ■                       |                 | 1295,00          | 271,95  | 1566,95      |
| 821.330     | Powder coating basic 3,500 kg (RAL)             |            |                             |                         |                         |                     |                         | ■               | 1695,00          | 355,95  | 2050,95      |
| 050.100     | Powder coating complete ≤ 750 kg (RAL)          | ■          |                             |                         |                         |                     |                         |                 | 1194,22          | 250,79  | 1445,01      |
| 050.101     | Powder coating complete 1,150 - 1,800 kg (RAL)  |            | ■                           | ■                       | ■                       |                     |                         |                 | 1853,72          | 389,28  | 2243,00      |
| 050.102     | Powder coating complete 2,000 - 2,700 kg (RAL)  |            |                             |                         |                         | ■                   | ■                       |                 | 2201,65          | 462,35  | 2664,00      |
| 050.103     | Powder coating complete 3,500 kg (RAL)          |            |                             |                         |                         |                     |                         | ■               | 2550,41          | 535,59  | 3086,00      |
| 051.200     | Powder coating additional cost non-standard RAL | ■          | ■                           | ■                       | ■                       | ■                   | ■                       | ■               | 451,24           | 94,76   | 546,00       |

Price list effective 10 May 2023. Version number 1. All previous price lists for this model expire with this version. No rights can be derived from the price list.